

Appendix 1 – Index and glossary of abbreviations and acronyms

Table A1.1 - Abbreviations and acronyms

Abbreviation / Acronym	Description
AC	asphaltic concrete
AO	acceptable outcome
AEP	annual exceedance probability
AHD	Australian height datum
AICR	Adopted Infrastructure Charges Resolution
ANEF	Australian noise exposure forecast
ANZECC	Australian and New Zealand Environment and Conservation Council
ARI	average recurrence interval
ASS	acid sulfate soils
AV	articulated vehicle
BCA	Building Code of Australia
BOM	Bureau of Meteorology
CASA	Civil Aviation Safety Authority
CBR	California Bearing Ratio
CMDG	Capricorn Municipal Development Guidelines
CPTED	crime prevention through environmental design
CWB	constructed water body
CWITP	civil works inspection and testing plan
DCDB	digital cadastral data base
DDA	Disability Discrimination Act 1992
DFE	defined flood event
DIS	duration independent storm
DSS	desired standard of service
DSTE	defined storm tide event
DTMR	Department of Transport and Main Roads Queensland
EMP	Environmental Management Plan
EP	equivalent person
ERP	estimated resident population
ESA	equivalent standard axle
ESC	erosion and sediment control
ET	equivalent tenement
GDA	geocentric datum of Australia
GFA	gross floor area

Abbreviation / Acronym	Description
GLFA	gross leasable floor area
GPT	gross pollutant trap
HAT	highest astronomical tide
HRV	heavy rigid vehicle
ICOMOS	International Council on Monuments and Sites
IECA	International Erosion Control Association
IFD	intensity frequency duration
IPWEAQ	Institute of Public Works Engineers Australia Queensland
IWMP	integrated water management plan
LATM	local area traffic management
LGIP	Local government infrastructure plan
MLES	Matters of Local Environmental Significance
MNES	Matters of National Environmental Significance
MSES	Matters of State Environmental Significance
MCU	material change of use as defined in the Act
MRV	medium rigid vehicle
NATA	National Association of Testing Authorities
Net dev Ha	Net developable hectare
NRP	Non-resident population
OLS	obstacle limitation surface
OPW	Operational work as defined in the Act
PFTI	plans for trunk infrastructure
PIA	priority infrastructure area
PMF	probable maximum flood
PMP	probable maximum precipitation
PMST	probable maximum storm tide
PO	performance outcome
PSM	permanent survey mark
QDC	Queensland Development Code
QUDM	Queensland Urban Drainage Manual
RFL	recommended flood level
ROL	reconfiguring a lot as defined in the Act
RPEQ	Registered Professional Engineer of Queensland
RRPM	raised retro-reflective marker
SEMP	shoreline erosion management plan
SEQ	South East Queensland
SPP	State planning policy

Abbreviation / Acronym	Description
SQMP	stormwater quality management plan
SQTM	stormwater quality treatment measure
SRV	small rigid vehicle
the SP Act	Sustainable Planning Act 2009 (repealed)
the SP Regulation	Sustainable Planning Regulation 2009 (repealed)
the Act	<i>Planning Act 2016</i>
the Regulation	Planning Regulation 2017
TGSI	tactile ground surface indicator
TMCP	traffic management control plan
TSS	total suspended solids
TWCM	total water cycle management
VC	vertical curve
WCV	waste collection vehicle
WQO	water quality objective
WSAA	Water Services Association of Australia
WSUD	water sensitive urban design